


Ductile Iron Threaded Reducing Flanges for Ductile Iron Pipe

ANSI /AWWA C115/A21.15

Ref: DPF1021



Item Number	Nom. Pipe Size	Flange Outer Diameter (A)	Bolt Circle (D)	B.Hole Diameter (T)	No. of Holes (n)	Flange Thickness (B)	Length Through Hub (C)	Weight (lbs)
DPF0309	4" X 3"	9.00	7.50	0.75	8	0.94	1.69	16
DPF0411	6" X 4"	11.00	9.50	0.88	8	1.00	1.81	25
DPF4135	8" X 4"	13.50	11.75	0.88	8	1.12	1.81	40
DPF6135	8" X 6"	13.50	11.75	0.88	8	1.12	2.00	35
DPF0816	10" X 8"	16.00	14.25	1.00	12	1.19	2.24	50
DPF0819	12" X 8"	19.00	17.00	1.00	12	1.25	2.24	85

*All sizes are in inches.

- ▶ Ductile Iron ASTM A536 (65-45-12)
- ▶ Machined, Drilled and Faced in accordance with ANSI B16.1 – Class 125
- ▶ Threaded in accordance with ANSI /ASME B 1.20.1 (National Pipe Taper Threads)
- ▶ Bolt holes in accordance ANSI A21.1
- ▶ Rated for a maximum working pressure 250 psi
- ▶ Coating : Bare